



GM 1260



GM 1263-V



GM 18102



GM 26108



GM 35108



GM 35120



GM 45120



GM 55120



GM 6120



GM 984



GM-Hyd 100132



GM-Hyd 45120



GM 6120



GM 984



GM-Hyd 100132



GM-Hyd 45120



GM-Hyd 65120



GM-Hyd 85120



GM 35120-P



GM 45120-P

Modèle	Capacité	Largeur	Poids	Levée	Description
<b>GM 984</b>	900 livres (410 kg)	84" (2134 mm)	160 livres (73 kg)	36" (914 mm)	Bateau de 12' à 16'
<b>GM 6120</b>	600 livres (272 kg)	120" (3048 mm)	180 livres (82 kg)	36" (914 mm)	Catamaran 14' à 20'
<b>GM 1260</b>	1200 livres ( 545 kg )	60 » ( 1524 mm )	165 livres ( 75 kg )	36 » ( 914 mm )	Motomarine
<b>GM 1263-V</b>	1200 livres (545 kg)	63 » (1600 mm)	180 livres (1600 mm)	48 » (1219 mm)	Motomarine
<b>GM 18102</b>	1800 livres (821 kg)	102 » (2591 mm)	289 livres (131 kg)	48 » (1219 mm)	Bateau 14' à 17'
<b>GM 26108</b>	2600 livres (821 kg)	108 » (2743 mm)	385 livres (175 kg)	60 » (1524 mm)	Bateau 14' à 17'
<b>GM 35108</b>	3500 livres (1588 kg)	108 » (2743 mm)	390 livres (177 kg)	60 » (1524 mm)	Bateau 16' à 19'
<b>GM 35120</b>	3500 livres (1588 kg)	120 » (3048 mm)	400 livres (182 kg)	60 » (1524 mm)	Bateau 16' à 19'
<b>GM 35120-P</b>	3500 livres (1588 kg)	120 » (3048 mm)	450 livres (204 kg)	60 » (1524 mm)	Ponton 16' à 24'
<b>GM 45120</b>	4500 livres (2045 kg)	120 » (3048 mm)	460 livres (209 kg)	60 » (1524 mm)	Bateau 18' à 22'
<b>GM 45120-P</b>	4500 livres (2045 kg)	120 » (3048 mm)	495 livres (225 kg)	60 » (1524 mm)	Ponton 16' à 27'
<b>GM-Hyd 45120</b>	4500 livres (2045 kg)	120 » (3048 mm)	510 livres (232 kg)	53 » (1346 mm)	Bateau 18' à 22'
<b>GM 55120</b>	5500 livres (2500 kg)	120 » (3048 mm)	600 livres (273 kg)	60 » (1524 mm)	Bateau 20' à 25'
<b>GM-Hyd 65120</b>	6500 livres (2948 kg)	120 » (3048 mm)	650 livres (295 kg)	53 » (1346 mm)	Bateau 20' à 26'
<b>GM-Hyd 85120</b>	8500 livres (3855 kg)	120 » (3048 mm)	750 livres (340 kg)	53 » (1346 mm)	Bateau 23' à 27'
<b>GM-Hyd 100132</b>	10,000 livres ( 4536 kg)	132 » (3353 mm)	1050 livres (476 kg)	60 » (1524 mm)	Bateau 26' à 32'